

Physicians to Children Immunization Schedule

Visit	Immunization(s)					
Birth		Hep B #1		given in the hospital or 1st office visit		
1 month		Hep B #2		must have a minimum 28 days from dose #1		
2 month	Pentacel #1	Prevnar #1	Rotavirus***	must be a minimum of 6 weeks old		
4 month	Pentacel #2	Prevnar #2	Rotavirus***	minimum 6 weeks from 2 month immunizations		
6 month	Pentacel #3	Prevnar #3	Rotavirus***	minimum 6 weeks from 4 month immunizations		
9 month		Hep B #3		must be a minimum of 6 months old		
12 months	MMR #1	Varivax #1	Hep A #1	must be 12 months old MMR can be given as early as 6 months, but will not count toward the series		
15 months	Pentacel #4	Prevnar #4		must be 15 months old		
18 months		Hep A #2		minimum 6 months between Hep A doses		
2 year		Hep A #2***		***if not received at the 18 month visit		
4 year	Quadracel #1	Proquad (MMRV) #1		must be 4 years old		
11/12 year	Tdap #1	Menquadfi #1	HPV #1			
13-14 year	HPV #1	If started before age 15, only 2 doses are needed- can be started as early as 9				
	HPV #2	give 2nd dose 6 months after dose #1 or ideally not longer than 12 months				
15 year		HPV**	**3 doses needed if series initiated after 15th birthday. dose #2 is given 2 months after first dose dose #3 is given 4 months after second dose and 6 months from first dose			
16 year	Men B #1 (Bexsero)	Menquadfi #2		Menquadifi - dose #2 is given 3-5 years from dose #1		
		Men B #2 (Bexsero)		minimum 30 days from dose #1		
Nursing Key		***Cannot start Rotavirus series if child is over 14 weeks and 6 days old. No more from the series can be given after child is 8 months old.		Combination Vaccines		
No Color =	IM			Pentacel =	DTaP, Hib & Polio	
	SubCut			Prevnar =	Pneumococcal 20	
	Oral			Proquad =	MMR & Varicella	
				Quadracel=	DTaP & Polio	
			MMR =	Measles, Mumps, Rubella		
			Menquadfi =	Meningococcal ACWY		